



VS | PHASE-OUT

RANGE SIMPLIFICATION – LED MODULES

For Industry and Street Lighting

IP20: WU-M-444, WU-M-479/xx, WU-M-488, WU-M-518/xx

IP6x: WU-M-425 (partially), WU-M-438, WU-M-496

With the aim of streamlining its range of LED modules for industrial and street lighting, Vossloh-Schwabe intends to phase out the following products.

However, thanks to the modular design of our LED modules, we can offer an adequate alternative for almost all of the products earmarked for discontinuation. The following pages provide an advance overview of the affected products. Please contact your VS representative for more detailed information.

Final orders for all products earmarked for discontinuation can be placed by **28 February 2018**.

Yours,
The VS Sales Team



The following pages contain an overview of products that are about to be discontinued





VS | PHASE-OUT

Overview of Products Earmarked for Discontinuation

LAST CHANCE TO ORDER: 28.02.2018

Ref. No.	Type / Description	Product photo	VS alternative	
WU-M-444				
561886.92	WU-M-444-C-730	M-Class	WU-M-541/4 requires only minimal structural modifications on the part of the customer	
561887.92	WU-M-444-C-730	S-Class		
561888.92	WU-M-444-C-730	Area		
561891.92	WU-M-444-C-740	M-Class		
561892.92	WU-M-444-C-740	S-Class		
561893.92	WU-M-444-C-740	Area		
562915.92	WU-M-444-C-740	SYM II		
561889.92	WU-M-444-C-830	SYM I		
561890.92	WU-M-444-C-830	SYM II		
560021.92	WU-M-444-C-840	M-Class		
561894.92	WU-M-444-C-840	SYM I		
561895.92	WU-M-444-C-840	SYM II		
566787.92	WU-M-444-C-840	S-Class		
561899.92	WU-M-444-C-850	SYM I		
561900.92	WU-M-444-C-850	SYM II		
552786.92	WU-M-444-NW	4 Terminals M-Class, CRI70		
564311.92	WU-M-444-WW	4 Terminals M-Class, CRI80		
553926.92	WU-M-444/B-CW-Rnn	M-Class		
553929.92	WU-M-444/B-CW-Rnn	S-Class		
553932.92	WU-M-444/B-CW-Rnn	SYM I		
553935.92	WU-M-444/B-CW-Rnn	SYM II		
553938.92	WU-M-444/B-CW-Rnn	Area		
554897.92	WU-M-444/B-NW-Rnn	M-Class		
554899.92	WU-M-444/B-VW-Rnn	M-Class		







VS | PHASE-OUT

Overview of Products Earmarked for Discontinuation

LAST CHANCE TO ORDER: 28.02.2018



Ref. No.	Type / Description	Product photo	VS alternative
WU-M-425			
562030.02	WU-M-425-C-730		WU-M-515
562032.02	WU-M-425-C-730		
562037.02	WU-M-425-C-740		
562039.02	WU-M-425-C-740		
565832.02	WU-M-425-C-740		
562035.02	WU-M-425-C-830		
562036.02	WU-M-425-C-830		
562872.02	WU-M-425-C-830		
562042.02	WU-M-425-C-840		
562043.02	WU-M-425-C-840		
562049.02	WU-M-425-C-850		
562050.02	WU-M-425-C-850		
562886.02	WU-M-425-C-850		
563350.02	WU-M-425/B-AW		
553067.02	WU-M-425/B-CW-Rnn		
553069.02	WU-M-425/B-CW-Rnn		
558127.02	WU-M-425/B-CW-Rnn		
558209.02	WU-M-425/B-CW-Rnn		
WU-M-438			
562051.02	WU-M-438-C-730		Sorry, no VS alternative available.
562052.02	WU-M-438-C-730		
562053.02	WU-M-438-C-730		
562054.02	WU-M-438-C-730		
562055.02	WU-M-438-C-730		
562056.02	WU-M-438-C-730		
562057.02	WU-M-438-C-730		
562061.02	WU-M-438-C-740		
562062.02	WU-M-438-C-740		
562063.02	WU-M-438-C-740		
562064.02	WU-M-438-C-740		
562065.02	WU-M-438-C-740		
562066.02	WU-M-438-C-740		
562067.02	WU-M-438-C-740		
562916.02	WU-M-438-C-740		
562058.02	WU-M-438-C-830		
562059.02	WU-M-438-C-830		



VS | PHASE-OUT

Overview of Products Earmarked for Discontinuation

LAST CHANCE TO ORDER: 28.02.2018

Ref. No.	Type / Description	Product photo	VS alternative
WU-M-438			
562060.02	WU-M-438-C-830		Sorry, no VS alternative available.
562068.02	WU-M-438-C-840		
562069.02	WU-M-438-C-840		
562070.02	WU-M-438-C-840		
562078.02	WU-M-438-C-850		
562079.02	WU-M-438-C-850		
562080.02	WU-M-438-C-850		
553612.02	WU-M-438/B-CW-Rnn		
554789.02	WU-M-438/B-CW-Rnn		
554790.02	WU-M-438/B-CW-Rnn		
554792.02	WU-M-438/B-CW-Rnn		
554793.02	WU-M-438/B-CW-Rnn		
554794.02	WU-M-438/B-CW-Rnn		
554795.02	WU-M-438/B-CW-Rnn		
556820.02	WU-M-438/B-CW-Rnn		
560738.02	WU-M-438/B-CW-Rnn		
560741.02	WU-M-438/B-CW-Rnn		
WU-M-479 – Version with 16 LEDs			
562009.92	WU-M-479/16-C-730		WU-M-541/16 requires only minimal structural modifications on the part of the customer
562010.92	WU-M-479/16-C-730		
562011.92	WU-M-479/16-C-730		
562012.92	WU-M-479/16-C-730		
562013.92	WU-M-479/16-C-730		
562016.92	WU-M-479/16-C-740		
562017.92	WU-M-479/16-C-740		
562018.92	WU-M-479/16-C-740		
562019.92	WU-M-479/16-C-740		
562020.92	WU-M-479/16-C-740		
562917.92	WU-M-479/16-C-740		
562014.92	WU-M-479/16-C-830		
562015.92	WU-M-479/16-C-830		
562961.92	WU-M-479/16-C-830		
562021.92	WU-M-479/16-C-840		
562022.92	WU-M-479/16-C-840		
562028.92	WU-M-479/16-C-850		



VS | PHASE-OUT

Overview of Products Earmarked for Discontinuation

LAST CHANCE TO ORDER: 28.02.2018

Ref. No.	Type / Description	Product photo	VS alternative
WU-M-479 – Version with 16 LEDs			
562029.92	WU-M-479/16-C-850	SYM II	WU-M-541/16 requires only minimal structural modifications on the part of the customer
554189.92	WU-M-479/16-CW-Rnn	M-Class Crosswise	
556257.92	WU-M-479/16-CW-Rnn	S-Class Crosswise	
556260.92	WU-M-479/16-CW-Rnn	Area	
556266.92	WU-M-479/16-CW-Rnn	SYM I	
556273.92	WU-M-479/16-CW-Rnn	SYM II	
560973.92	WU-M-479/16-CW-Rnn	M-Class Lengthwise	
560975.92	WU-M-479/16-CW-Rnn	S-Class Lengthwise	
WU-M-479 – Version with 8 LEDs			
561967.92	WU-M-479/4-C-730	M-Class Lengthwise	WU-M-541/8 requires only minimal structural modifications on the part of the customer
561968.92	WU-M-479/4-C-730	S-Class Lengthwise	
561969.92	WU-M-479/4-C-730	M-Class Crosswise	
561970.92	WU-M-479/4-C-730	S-Class Crosswise	
561971.92	WU-M-479/4-C-730	Area	
561974.92	WU-M-479/4-C-740	M-Class Lengthwise	
561975.92	WU-M-479/4-C-740	S-Class Lengthwise	
561976.92	WU-M-479/4-C-740	M-Class Crosswise	
561977.92	WU-M-479/4-C-740	S-Class Crosswise	
561978.92	WU-M-479/4-C-740	Area	
561972.92	WU-M-479/4-C-830	SYM I	
561973.92	WU-M-479/4-C-830	SYM II	
561979.92	WU-M-479/4-C-840	SYM I	
561980.92	WU-M-479/4-C-840	SYM II	
561986.92	WU-M-479/4-C-850	SYM I	
561987.92	WU-M-479/4-C-850	SYM II	
560950.92	WU-M-479/4-CW-Rnn	M-Class Lengthwise	
560952.92	WU-M-479/4-CW-Rnn	M-Class Crosswise	
560955.92	WU-M-479/4-CW-Rnn	S-Class Lengthwise	
560958.92	WU-M-479/4-CW-Rnn	S-Class Crosswise	
560961.92	WU-M-479/4-CW-Rnn	Area	
560964.92	WU-M-479/4-CW-Rnn	SYM I	
560967.92	WU-M-479/4-CW-Rnn	SYM II	



VS | PHASE-OUT

Overview of Products Earmarked for Discontinuation

LAST CHANCE TO ORDER: 28.02.2018



Ref. No.	Type / Description	Product photo	VS alternative
WU-M-479 - Version with 4 LEDs			
561988.92	WU-M-479/8-C-730	M-Class Lengthwise	WU-M-541/4 requires only minimal structural modifications on the part of the customer
561989.92	WU-M-479/8-C-730	S-Class Lengthwise	
561990.92	WU-M-479/8-C-730	M-Class Crosswise	
561991.92	WU-M-479/8-C-730	S-Class Crosswise	
561992.92	WU-M-479/8-C-730	Area	
561995.92	WU-M-479/8-C-740	M-Class Lengthwise	
561996.92	WU-M-479/8-C-740	S-Class Lengthwise	
561997.92	WU-M-479/8-C-740	M-Class Crosswise	
561998.92	WU-M-479/8-C-740	S-Class Crosswise	
561999.92	WU-M-479/8-C-740	Area	
561993.92	WU-M-479/8-C-830	SYM I	
561994.92	WU-M-479/8-C-830	SYM II	
562000.92	WU-M-479/8-C-840	SYM I	
562001.92	WU-M-479/8-C-840	SYM II	
562007.92	WU-M-479/8-C-850	SYM I	
562008.92	WU-M-479/8-C-850	SYM II	
554192.92	WU-M-479/8-CW-Rnn	M-Class Crosswise	
556263.92	WU-M-479/8-CW-Rnn	Area	
556270.92	WU-M-479/8-CW-Rnn	SYM I	
556278.92	WU-M-479/8-CW-Rnn	SYM II	
556492.92	WU-M-479/8-CW-Rnn	S-Class Crosswise	
560970.92	WU-M-479/8-CW-Rnn	M-Class Lengthwise	
560972.92	WU-M-479/8-CW-Rnn	S-Class Lengthwise	
WU-M-488			
561946.92	WU-M-488-C-730	M-Class Lengthwise	WU-M-541/16 requires only minimal structural modifications on the part of the customer
561947.92	WU-M-488-C-730	S-Class Lengthwise	
561948.92	WU-M-488-C-730	M-Class Crosswise	
561949.92	WU-M-488-C-730	S-Class Crosswise	
561950.92	WU-M-488-C-730	Area	
561953.92	WU-M-488-C-740	M-Class Lengthwise	
561954.92	WU-M-488-C-740	S-Class Lengthwise	
561955.92	WU-M-488-C-740	M-Class Crosswise	
561956.92	WU-M-488-C-740	S-Class Crosswise	
561957.92	WU-M-488-C-740	Area	



VS | PHASE-OUT

Overview of Products Earmarked for Discontinuation

LAST CHANCE TO ORDER: 28.02.2018



Ref. No.	Type / Description	Product photo	VS alternative	
WU-M-488				
561951.92	WU-M-488-C-830		WU-M-541/16 requires only minimal structural modifications on the part of the customer	
561952.92	WU-M-488-C-830			SYM II
561958.92	WU-M-488-C-840			SYM I
561959.92	WU-M-488-C-840			SYM II
561965.92	WU-M-488-C-850			SYM I
561966.92	WU-M-488-C-850			SYM II
556292.92	WU-M-488-CW-Rnn			M-Class Crosswise
556293.92	WU-M-488-CW-Rnn			M-Class Lengthwise
556294.92	WU-M-488-CW-Rnn			S-Class Crosswise
556295.92	WU-M-488-CW-Rnn			S-Class Lengthwise
556296.92	WU-M-488-CW-Rnn			Area
556297.92	WU-M-488-CW-Rnn			SYM I
556298.92	WU-M-488-CW-Rnn			SYM II
WU-M-496 – LightEngine – 32 LEDs				
562102.02	WU-M-496-C-650		2 x WU-M-515 + 2 heat sinks (552504.02)	
562107.02	WU-M-496-C-650			Area
562081.02	WU-M-496-C-730			M-Class Lengthwise
562082.02	WU-M-496-C-730			M-Class Crosswise
562083.02	WU-M-496-C-730			M-Class Lengthwise Sil
562084.02	WU-M-496-C-730			M-Class Crosswise Sil
562085.02	WU-M-496-C-730			S-Class Lengthwise
562086.02	WU-M-496-C-730			S-Class Crosswise
562087.02	WU-M-496-C-730			Area
562091.02	WU-M-496-C-740			M-Class Lengthwise
562092.02	WU-M-496-C-740			M-Class Crosswise
562093.02	WU-M-496-C-740			M-Class Lengthwise Sil
562094.02	WU-M-496-C-740			M-Class Crosswise Sil
562095.02	WU-M-496-C-740			S-Class Lengthwise
562096.02	WU-M-496-C-740			S-Class Crosswise
562097.02	WU-M-496-C-740			Area
562088.02	WU-M-496-C-830			SYM I
562089.02	WU-M-496-C-830			SYM II
562090.02	WU-M-496-C-830			SYM II Sil
562960.02	WU-M-496-C-830			M-Class Crosswise
562098.02	WU-M-496-C-840	SYM I		



VS | PHASE-OUT

Overview of Products Earmarked for Discontinuation

LAST CHANCE TO ORDER: 28.02.2018

Ref. No.	Type / Description	Product photo	VS alternative	
WU-M-496 – LightEngine – 32 LEDs				
562099.02	WU-M-496-C-840		2 x WU-M-515 + 2 heat sinks (552504.02)	
562100.02	WU-M-496-C-840			SYM II Sil
565191.02	WU-M-496-C-840			M-Class Crosswise Sil
562108.02	WU-M-496-C-850			SYM I
562109.02	WU-M-496-C-850			SYM II
562110.02	WU-M-496-C-850			SYM II Sil
562887.02	WU-M-496-C-850			M-Class Crosswise
557136.02	WU-M-496-CW-Rnn			M-Class Crosswise
557139.02	WU-M-496-CW-Rnn			M-Class Lengthwise
558167.02	WU-M-496-CW-Rnn			S-Class Crosswise
558170.02	WU-M-496-CW-Rnn			S-Class Lengthwise
558173.02	WU-M-496-CW-Rnn			Area
558176.02	WU-M-496-CW-Rnn			SYM I
558179.02	WU-M-496-CW-Rnn			SYM II
565826.02	WU-M-496-822			M-Class Crosswise
WU-M-518 – Version with 32 LEDs				
561916.92	WU-M-518/32-C-730		2 x WU-M-475 thanks to the modular construction of the LED modules	
561917.92	WU-M-518/32-C-730			S-Class
561918.92	WU-M-518/32-C-730			Area
561921.92	WU-M-518/32-C-740			M-Class
561922.92	WU-M-518/32-C-740			S-Class
561923.92	WU-M-518/32-C-740			Area
561919.92	WU-M-518/32-C-830			SYM I
561920.92	WU-M-518/32-C-830			SYM II
561924.92	WU-M-518/32-C-840			SYM I
561925.92	WU-M-518/32-C-840			SYM II
561929.92	WU-M-518/32-C-850			SYM I
561930.92	WU-M-518/32-C-850			SYM II
560578.92	WU-M-518/32-CW-Rnn			M-Class
560581.92	WU-M-518/32-CW-Rnn			S-Class
560584.92	WU-M-518/32-CW-Rnn			Area
560589.92	WU-M-518/32-CW-Rnn			SYM I
560592.92	WU-M-518/32-CW-Rnn			SYM II
562874.92	WU-M-518/32-2.700K-R80			M-Class
566703.92	WU-M-518/32-822			M-Class



VS | PHASE-OUT

Overview of Products Earmarked for Discontinuation

LAST CHANCE TO ORDER: 28.02.2018

Ref. No.	Type / Description	Product photo	VS alternative
WU-M-518 - Version with 64 LEDs			
561931.92	WU-M-518/64-C-730	M-Class	4 x WU-M-475 thanks to the modular construction of the LED modules
561932.92	WU-M-518/64-C-730	S-Class	
561933.92	WU-M-518/64-C-730	Area	
561936.92	WU-M-518/64-C-740	M-Class	
561937.92	WU-M-518/64-C-740	S-Class	
561938.92	WU-M-518/64-C-740	Area	
561934.92	WU-M-518/64-C-830	SYM I	
561935.92	WU-M-518/64-C-830	SYM II	
561939.92	WU-M-518/64-C-840	SYM I	
561940.92	WU-M-518/64-C-840	SYM II	
561944.92	WU-M-518/64-C-850	SYM I	
561945.92	WU-M-518/64-C-850	SYM II	
560594.92	WU-M-518/64-CW-Rnn	M-Class	
560597.92	WU-M-518/64-CW-Rnn	S-Class	
560600.92	WU-M-518/64-CW-Rnn	Area	
560603.92	WU-M-518/64-CW-Rnn	SYM I	
560606.92	WU-M-518/64-CW-Rnn	SYM II	
562875.92	WU-M-518/64-2.700K-R80	M-Class	

