

# LISTA | REACTANCIAS FLUORESCENTES

Reactancias							Lámparas					
Ref. N°.	Tipo	Voltaje AC V, Hz	Sección mm	a/L mm	b/L1 mm	c/L2 mm	Tipo	Consumo W	EEl	CE	Disponible bajo petición	Alternativa
<b>163683</b>	L 4/6/8.304	230, 50	28x41	85	75	34	T5 (T16)	4	B2	—	X	
							2x4	B1	—	X		
							6	B1	—	X		
							8	B1	—	X		
<b>163694</b>	L 7/9/11.307	230, 50	28x41	85	75	34	TC-S	5	B2	—	X	
							7	B2	—	X		
							9	B1	—	X		
							11	B1	—	X		
<b>163711</b>	LN 13.313	230, 50	28x41	85	75	34	T5 (T16)	13	B1	—	✓	
							2x6	B1	—	✓		
							2x8	B1	—	✓		
							TC-D	10	B2	—	✓	
							TC-D/TC-T	13	B2	—	✓	
							TC-S	2x5	B2	—	X	
							2x7	B2	—	X		
							2x9	B2	—	✓		
TC-DD	10	B2	—	✓								
<b>163730</b>	LN 16.316	230, 50	28x41	85	75	34	T8 (T26)	16	B1	—	✓	
							TC-DD	16	B1	—	✓	
<b>163763</b>	LN 181.319	230, 50	28x41	85	75	34	TC-D/TC-T	18	B1	—	✓	
<b>163861</b>	LN 15.329	230, 50	28x41	150	140	60	T8 (T26)	15	B2	—	✓	
<b>164013</b>	L 25.346	230, 50	28x41	150	140	60	T12 (T38)	25	B1	—	✓	
<b>164033</b>	L 30.347	230, 50	28x41	150	140	60	T8 (T26)	2x15	—	—	✓	
<b>164572</b>	LN 18.510	230, 50	28x41	155	140	92	T8 (T26)	14	B2	—	✓	<b>560657</b>
							T8 (T26)/T12 (T38)	18/20	B1	—	✓	
							TC-F/TC-L	18	B1	—	✓	
							TC-DD	28	B1	—	✓	
<b>164590</b>	LN 36.511	230, 50	28x41	155	140	92	T8 (T26)	38	B1	—	✓	<b>560659, 560664</b>
							T8 (T26)/T12 (T38)	36/40	B1	—	✓	
							TC-F/TC-L	36	B1	—	✓	
<b>164680</b>	LN 30.530	230, 50	28x41	155	140	92	TR	22	B2	—	✓	
<b>169389</b>	LN 58.568	230, 50	28x41	233	220	160	T8 (T26)/T12 (T38)	58/65	B1	—	✓	<b>560661, 560665</b>
							TU	58	B1	—	✓	
<b>169645</b>	LN 30.801	230, 50	28x41	150	140	60	T8 (T26)	2x15	B2	—	✓	
							30	B2	—	✓		
<b>169779</b>	LN 36.570	230, 50	28x41	155	140	92	T8 (T26)	38	B1	—	✓	<b>560659, 560664</b>
							T8 (T26)/T12 (T38)	36/40	B1	—	✓	
							TC-F/TC-L	36	B1	—	✓	
							TC-DD	38	B1	—	✓	
							TU/TR	36/40	B1	—	✓	
							TR	32	B2	—	✓	
<b>508186</b>	LN 58.116	230, 50	28x41	190	180	92	T8 (T26)/T12 (T38)	58/65	B2	—	✓	<b>560661, 560665</b>
							TU	58	B2	—	✓	
<b>508922</b>	LN 181.940	230, 50	28x41	85	75	34	TC-D/TC-T	18	B1	—	✓	
<b>509349</b>	LN 58.990	230, 50	28x41	190	180	110	T8 (T26)/T12 (T38)	58/65	B2	—	✓	<b>560661, 560665</b>
							TU	58	B2	—	✓	
<b>509502</b>	LN 26.813	230, 50	28x41	110	100	45	TC-D/TC-T	26	B2	—	✓	
<b>527191</b>	LN 36.130	230, 50	28x41	150	140	60	T8 (T26)/T12 (T38)	36/40	B2	—	✓	<b>560659, 560664</b>
							TC-F/TC-L	36	B2	—	✓	
<b>529029</b>	LN 36.149	230, 50	28x41	150	140	60	T8 (T26)	38	B2	—	✓	<b>560659, 560664</b>
							T8 (T26)/T12 (T38)	36/40	B2	—	✓	
							TC-F/TC-L	36	B2	—	✓	

# LISTA | REACTANCIAS FLUORESCENTES

Reactancias							Lámparas					
Ref. N°	Tipo	Voltaje AC V, Hz	Sección mm	a/L mm	b/L1 mm	c/L2 mm	Tipo	Consumo W	EEl	CE	Disponible bajo petición	Alternativa
<b>529029</b>	LN 36.149	230, 50	28x41	150	140	60	TC-DD	38	B2	—	✓	<b>560659, 560664</b>
							TU/TR	36/40	B2	—	✓	
<b>530941</b>	LN 18.131	230, 50	28x41	150	140	60	T8 (T26)/T12 (T38)	18/20	B2	—	✓	<b>560657</b>
							TC-D/TC-T	26	B1	—	✓	
							TC-F/TC-L	18	B2	—	✓	
							TC-DD	28	B1	—	✓	
							TU	18	B2	—	✓	
<b>532155</b>	LN 2x18.135	230, 50	28x41	150	140	45	T8 (T26)/T12 (T38)	2x18/20	B1	—	✓	
							TC-F/TC-L	2x18	B1	—	✓	
<b>534490</b>	LN 24/26.804	230, 50	28x41	150	140	60	TC-F/TC-L	24	B2	—	✓	
<b>534621</b>	L 18.934	230, 50	28x41	150	140	45	T8 (T26)/T12 (T38)	18/20	—	—	✓	<b>560657</b>
							TC-D/TC-T	26	—	—	✓	
							TC-F/TC-L	18	—	—	✓	
								24	—	—	✓	
							TC-DD	28	—	—	✓	
<b>535977</b>	L 36.132	230, 50	28x41	150	140	45	T8 (T26)	38	—	—	✓	<b>560659, 560664</b>
							T8 (T26)/T12 (T38)	36/40	—	—	✓	
							TC-F/TC-L	36	—	—	✓	
							TC-DD	38	—	—	✓	
							TU/TR	36/40	—	—	✓	
<b>538072</b>	L 361.342	230, 50	28x41	195	180	110	T8 (T26)	36-1	B2	—	✓	
<b>560657</b>	INN 18.645	230, 50	53x66	145	120	75	T8 (T26)/T12 (T38)	18/20	<b>A2</b>	CE		
<b>560659</b>	INN 36.646	230, 50	53x66	108	86	36	T8 (T26)/T12 (T38)	2x18/20	<b>A2</b>	CE		
								36/40	<b>A2</b>	CE		
<b>560661</b>	INN 58.647	230, 50	53x66	108	86	36	T8 (T26)/T12 (T38)	58/65	<b>A2</b>	CE		
<b>560664</b>	INN 36.648	230, 50	28x41	232,5	220	160	T8 (T26)/T12 (T38)	2x18/20	<b>A2</b>	CE		
								36/40	<b>A2</b>	CE		
<b>560665</b>	INN 58TD.649*	230, 50	28x41	232,5	220	160	T8 (T26)/T12 (T38)	58/65	<b>A2</b>	CE		
<b>562658</b>	INN9/11.015	230, 50	28x41	155	140	92	TC-S	9	<b>A2</b>	CE		
								11	<b>A2</b>	CE		
<b>164326</b>	L 4/6/8.404	240, 50	28x41	85	75	34	T5 (T16)	4	B2	—	X	
								2x4	B1	—	X	
								6	B1	—	X	
								8	B1	—	X	
<b>164335</b>	L 7/9/11.411	240, 50	28x41	85	75	34	TC-S	5	B2	—	X	
								7	B2	—	X	
								9	B1	—	✓	
								11	B1	—	✓	
<b>164342</b>	LN 13.413	240, 50	28x41	85	75	34	T5 (T16)	13	B1	—	✓	
								2x6	B1	—	✓	
								2x8	B1	—	✓	
							TC-D	10	B2	—	✓	
							TC-D/TC-T	13	B1	—	✓	
<b>164342</b>	LN 13.413	240, 50	28x41	85	75	34	TC-S	2x5	B2	—	✓	
								2x7	B2	—	✓	
								2x9	B2	—	✓	
							TC-DD	10	B2	—	✓	
<b>164353</b>	LN 181.418	240, 50	28x41	85	75	34	TC-D/TC-T	18	B1	—	✓	
<b>164358</b>	LN 16.417	240, 50	28x41	85	75	34	T8 (T26)	16	B1	—	✓	
							TC-DD	16	B1	—	✓	
<b>164438</b>	L 36/40.443	240, 50	28x41	150	140	60	T8 (T26)	38	—	—	✓	

\*TD = Reactancia parcial (son necesarias 2 reactancias por lámpara)

# LISTA | REACTANCIAS FLUORESCENTES

Reactancias							Lámparas					
Ref. N°	Tipo	Voltaje AC V, Hz	Sección mm	a/L mm	b/L1 mm	c/L2 mm	Tipo	Consumo W	EEL	CE	Disponible bajo petición	Alternativa
<b>164438</b>	L 36/40.443	240, 50	28x41	150	140	60	T8 (T26)/T12 (T38)	36/40	—	—	✓	
							TC-F/TC-L	36	—	—	✓	
							TC-DD	38	—	—	✓	
							TU/TR	36/40	—	—	✓	
<b>164555</b>	LN 36.505	240, 50	28x41	155	140	92	T8 (T26)	38	B1	—	✓	
							T8 (T26)/T12 (T38)	2x18/20	B1	—	✓	
								36/40	B1	—	✓	
							TC-F/TC-L	2x18	B1	—	✓	
								36	B1	—	✓	
							TR	32	B1	—	✓	
TU/TR	36/40	B1	—	✓								
<b>164560</b>	LN 58.506	240, 50	28x41	233	220	160	T8 (T26)/T12 (T38)	58/65	B1	—	✓	
							TU	58	B1	—	✓	
<b>164566</b>	LN 18.507	240, 50	28x41	155	140	92	T8 (T26)/T12 (T38)	18/20	B1	—	✓	
							TC-F/TC-L	18	B1	—	✓	
								24	B1	—	✓	
TU	18	B1	—	✓								
<b>507936</b>	LN 58.192	240, 50	28x41	190	180	110	T8 (T26)/T12 (T38)	58/65	B2	—	✓	
							TU	58	B2	—	✓	
<b>527196</b>	LN 36.201	240, 50	28x41	150	140	60	T8 (T26)	38	B2	—	✓	
							T8 (T26)/T12 (T38)	2x18/20	B1	—	✓	
								36/40	B2	—	✓	
							TC-F/TC-L	2x18	B1	—	✓	
								36	B2	—	✓	
							TC-DD	38	B2	—	✓	
TU/TR	36/40	B2	—	✓								
<b>533043</b>	LN 18.162	240, 50	28x41	150	140	60	T8 (T26)/T12 (T38)	18/20	B2	—	✓	
							TC-D/TC-T	26	B1	—	✓	
							TC-F/TC-L	18	B2	—	✓	
								24	B2	—	✓	
							TC-DD	28	B1	—	✓	
TU	18	B2	—	✓								
<b>533067</b>	LN 30.806	240, 50	28x41	150	140	60	T8 (T26)	2x15	B2	—	✓	
								30	B2	—	✓	
<b>533650</b>	LN 75.170	240, 50	28x41	190	180	110	T8 (T26)/T12 (T38)	70/75	B2	—	✓	
<b>534252</b>	LN 58.722	240, 50	28x41	190	180	92	T8 (T26)/T12 (T38)	58/65	B2	—	✓	
							TU	58	B2	—	✓	
<b>534627</b>	L 18.936	240, 50	28x41	150	140	45	T8 (T26)/T12 (T38)	18/20	—	—	✓	
							TC-F/TC-L	18	—	—	✓	
								24	—	—	✓	
							TC-DD	28	—	—	✓	
TU	18	—	—	✓								
<b>535778</b>	LN 2x18.135	240, 50	28x41	150	140	45	T8 (T26)/T12 (T38)	2x18/20	B1	—	✓	
							TC-F/TC-L	2x18	B1	—	✓	
<b>545405</b>	LN 26.238	240, 50	28x41	105	95	45	TC-D/TC-T	26	B2	—	✓	
<b>547145</b>	LN 21.293	240, 50	28x41	105	95	45	TC-DD	21	B1	—	✓	
<b>164828</b>	L 58.625	220, 50	28x41	190	180	92	T8 (T26)/T12 (T38)	58/65	—	—	✓	
							TU	58	—	—	✓	
<b>530252</b>	L 36.158	220, 50	28x41	150	140	45	T8 (T26)	38	—	—	✓	
							T8 (T26)/T12 (T38)	2x18/20	—	—	✓	
								36/40	—	—	✓	
TC-F/TC-L	2x18	—	—	✓								

# LISTA | REACTANCIAS FLUORESCENTES

Reactancias							Lámparas					
Ref. N°	Tipo	Voltaje AC V, Hz	Sección mm	a/L mm	b/L1 mm	c/L2 mm	Tipo	Consumo W	EEl	CE	Disponible bajo petición	Alternativa
<b>530252</b>	L 36.158	220, 50	28x41	150	140	45	TC-F/TC-L	36	—	—	✓	
							TC-DD	38	—	—	✓	
							TU/TR	36/40	—	—	✓	
<b>534624</b>	L 18.933	220, 50	28x41	150	140	45	T8 (T26)/T12 (T38)	18/20	—	—	✓	
							TC-D/TC-T	26	—	—	✓	
							TC-F/TC-L	18	—	—	✓	
								24	—	—	✓	
							TC-DD	28	—	—	✓	
							TU	18	—	—	✓	
<b>163305</b>	L 7/9/11.207	220, 60	28x41	85	75	34	TC-S	5	—	—	X	
								7	—	—	X	
								9	—	—	✓	
								11	—	—	✓	
<b>164779</b>	L 181.602	220, 60	28x41	85	75	34	TC-D/TC-T	18	—	—	✓	
<b>164870</b>	L 58.657	220, 60	28x41	195	180	92	T8 (T26)/T12 (T38)	58/65	—	—	✓	
							TU	58	—	—	✓	
<b>509373</b>	L 36.120	220, 60	28x41	150	140	45	T8 (T26)	38	—	—	✓	
							T8 (T26)/T12 (T38)	2x18/20	—	—	✓	
								36/40	—	—	✓	
							TC-F/TC-L	2x18	—	—	✓	
								36	—	—	✓	
							TC-DD	38	—	—	✓	
<b>520992</b>	L 13.210	220, 60	28x41	85	75	34	T5 (T16)	2x6	—	—	✓	
								2x8	—	—	✓	
								13	—	—	✓	
							TC-D	10	—	—	✓	
							TC-D/TC-T	13	—	—	✓	
							TC-S	2x5	—	—	✓	
								2x7	—	—	✓	
								2x9	—	—	✓	
							TC-DD	10	—	—	✓	
							<b>528582</b>	L 18.121	220, 60	28x41	150	140
TC-D/TC-T	26	—	—	✓								
	18	—	—	✓								
	24	—	—	✓								
TU	18	—	—	✓								
<b>532149</b>	L 18.121	220, 60	28x41	110	100	45	T8 (T26)/T12 (T38)	18/20	—	—	✓	
							TC-D/TC-T	26	—	—	✓	
								18	—	—	✓	
								24	—	—	✓	
							TC-DD	28	—	—	✓	
							TU	18	—	—	✓	
<b>532644</b>	L 4/6/8.218	220, 60	28x41	85	75	34	T5 (T16)	4	—	—	X	
								2x4	—	—	X	
								6	—	—	X	
								8	—	—	X	
<b>537744</b>	L 15.007	220, 60	28x41	150	140	45	T8 (T26)	15	—	—	✓	
<b>537750</b>	L 30.006	220, 60	28x41	150	140	45	T8 (T26)	2x15	—	—	✓	
								30	—	—	✓	
<b>538801</b>	L 18.149	220, 60	28x41	150	140	34	T8 (T26)/T12 (T38)	18/20	—	—	✓	
							TC-D/TC-T	26	—	—	✓	

# LISTA | REACTANCIAS FLUORESCENTES

Reactancias							Lámparas					
Ref. N°.	Tipo	Voltaje AC V, Hz	Sección mm	a/L mm	b/L1 mm	c/L2 mm	Tipo	Consumo W	EEl	CE	Disponible bajo petición	Alternativa
<b>538801</b>	L 18.149	220, 60	28x41	150	140	34	TC-F/TCL	18	—	—	✓	
								24	—	—	✓	
							TC-DD	28	—	—	✓	
<b>538801</b>	L 18.249	220, 60	28x41	150	140	34	TU	18	—	—	✓	
<b>163318</b>	L 7/9.209	120, 60	28x41	85	75	34	TCS	5	—	—	X	
								7	—	—	X	
								9	—	—	X	
<b>170117</b>	L 14.139	120, 60	28x41	85	75	34	T8 (T26)	14	—	—	X	