

ОБЗОР | ПРА ДЛЯ ЛЛ

ПРА							Лампа					
№ заказа	Тип	Напряжение AC В, Гц	Модель мм	a/L мм	b/L1 мм	c/L2 мм	Тип	Мощность Вт	EEI	CE	По запросу	Альтернатива
163683	L 4/6/8.304	230, 50	28x41	85	75	34	T5 (T16)	4	B2	-	X	
							2x4	B1	-	X		
							6	B1	-	X		
							8	B1	-	X		
163694	L7/9/11.307	230, 50	28x41	85	75	34	TC-S	5	B2	-	X	
							7	B2	-	X		
							9	B1	-	X		
							11	B1	-	X		
163711	LN 13.313	230, 50	28x41	85	75	34	T5 (T16)	13	B1	-	✓	
							2x6	B1	-	✓		
							2x8	B1	-	✓		
							TC-D	10	B2	-	✓	
							TC-D/TC-T	13	B2	-	✓	
							TC-S	2x5	B2	-	X	
							2x7	B2	-	X		
							2x9	B2	-	✓		
TC-DD	10	B2	-	✓								
163730	LN 16.316	230, 50	28x41	85	75	34	T8 (T26)	16	B1	-	✓	
							TC-DD	16	B1	-	✓	
163763	LN 181.319	230, 50	28x41	85	75	34	TC-D/TC-T	18	B1	-	✓	
163861	LN 15.329	230, 50	28x41	150	140	60	T8 (T26)	15	B2	-	✓	
164013	L 25.346	230, 50	28x41	150	140	60	T12 (T38)	25	B1	-	✓	
164033	L 30.347	230, 50	28x41	150	140	60	T8 (T26)	2x15	-	-	✓	
164572	LN 18.510	230, 50	28x41	155	140	92	T8 (T26)	14	B2	-	✓	560657
							T8 (T26)/T12 (T38)	18/20	B1	-	✓	
							TC-F/TC-L	18	B1	-	✓	
							TC-DD	28	B1	-	✓	
164590	LN 36.511	230, 50	28x41	155	140	92	T8 (T26)	38	B1	-	✓	560659, 560664
							T8 (T26)/T12 (T38)	36/40	B1	-	✓	
							TC-F/TC-L	36	B1	-	✓	
164680	LN 30.530	230, 50	28x41	155	140	92	T-R	22	B2	-	✓	
169389	LN 58.568	230, 50	28x41	233	220	160	T8 (T26)/T12 (T38)	58/65	B1	-	✓	560661, 560665
							T-U	58	B1	-	✓	
169645	LN 30.801	230, 50	28x41	150	140	60	T8 (T26)	2x15	B2	-	✓	
							30	B2	-	✓		
169779	LN 36.570	230, 50	28x41	155	140	92	T8 (T26)	38	B1	-	✓	560659, 560664
							T8 (T26)/T12 (T38)	36/40	B1	-	✓	
							TC-F/TC-L	36	B1	-	✓	
							TC-DD	38	B1	-	✓	
							T-U/T-R	36/40	B1	-	✓	
							T-R	32	B2	-	✓	
508186	LN 58.116	230, 50	28x41	190	180	92	T8 (T26)/T12 (T38)	58/65	B2	-	✓	560661, 560665
							T-U	58	B2	-	✓	
508922	LN 181.940	230, 50	28x41	85	75	34	TC-D/TC-T	18	B1	-	✓	
509349	LN 58.990	230, 50	28x41	190	180	110	T8 (T26)/T12 (T38)	58/65	B2	-	✓	560661, 560665
							T-U	58	B2	-	✓	
509502	LN 26.813	230, 50	28x41	110	100	45	TC-D/TC-T	26	B2	-	✓	
527191	LN 36.130	230, 50	28x41	150	140	60	T8 (T26)/T12 (T38)	36/40	B2	-	✓	560659, 560664
							TC-F/TC-L	36	B2	-	✓	
529029	LN 36.149	230, 50	28x41	150	140	60	T8 (T26)	38	B2	-	✓	560659, 560664
							T8 (T26)/T12 (T38)	36/40	B2	-	✓	
							TC-F/TC-L	36	B2	-	✓	

ОБЗОР | ПРА ДЛЯ ЛЛ

ПРА							Лампа					
№ заказа	Тип	Напряжение AC В, Гц	Модель мм	а/L мм	б/L1 мм	с/L2 мм	Тип	Мощность Вт	EEl	CE	По запросу	Альтернатива
529029	LN 36.149	230, 50	28x41	150	140	60	TC-DD	38	B2	-	✓	560659, 560664
							T-U/T-R	36/40	B2	-	✓	
530941	LN 18.131	230, 50	28x41	150	140	60	T8 (T26)/T12 (T38)	18/20	B2	-	✓	560657
							TC-D/TC-T	26	B1	-	✓	
							TC-F/TC-L	18	B2	-	✓	
							TC-DD	28	B1	-	✓	
							T-U	18	B2	-	✓	
532155	LN 2x18.135	230, 50	28x41	150	140	45	T8 (T26)/T12 (T38)	2x18/20	B1	-	✓	
							TC-F/TC-L	2x18	B1	-	✓	
534490	LN 24/26.804	230, 50	28x41	150	140	60	TC-F/TC-L	24	B2	-	✓	
534621	L 18.934	230, 50	28x41	150	140	45	T8 (T26)/T12 (T38)	18/20	-	-	✓	560657
							TC-D/TC-T	26	-	-	✓	
							TC-F/TC-L	18	-	-	✓	
								24	-	-	✓	
							TC-DD	28	-	-	✓	
T-U	18	-	-	✓								
535977	L 36.132	230, 50	28x41	150	140	45	T8 (T26)	38	-	-	✓	560659, 560664
							T8 (T26)/T12 (T38)	36/40	-	-	✓	
							TC-F/TC-L	36	-	-	✓	
							TC-DD	38	-	-	✓	
							T-U/T-R	36/40	-	-	✓	
538072	L 36.132	230, 50	28x41	195	180	110	T8 (T26)	36-1	B2	-	✓	
560657	INN 18.645	230, 50	53x66	145	120	75	T8 (T26)/T12 (T38)	18/20	A2	CE		
560659	INN 36.646	230, 50	53x66	108	86	36	T8 (T26)/T12 (T38)	2x18/20	A2	CE		
								36/40	A2	CE		
560661	INN 58.647	230, 50	53x66	108	86	36	T8 (T26)/T12 (T38)	58/65	A2	CE		
560664	INN 36.648	230, 50	28x41	232,5	220	160	T8 (T26)/T12 (T38)	2x18/20	A2	CE		
								36/40	A2	CE		
560665	INN 58TD.649*	230, 50	28x41	232,5	220	160	T8 (T26)/T12 (T38)	58/65	A2	CE		
562658	INN9/11.015	230, 50	28x41	155	140	92	TC-S	9	A2	CE		
								11	A2	CE		
164326	L 4/6/8.404	240, 50	28x41	85	75	34	T5 (T16)	4	B2	-	X	
								2x4	B1	-	X	
								6	B1	-	X	
								8	B1	-	X	
164335	L 7/9/11.411	240, 50	28x41	85	75	34	TC-S	5	B2	-	X	
								7	B2	-	X	
								9	B1	-	✓	
								11	B1	-	✓	
164342	LN 13.413	240, 50	28x41	85	75	34	T5 (T16)	13	B1	-	✓	
								2x6	B1	-	✓	
								2x8	B1	-	✓	
							TC-D	10	B2	-	✓	
							TC-D/TC-T	13	B1	-	✓	
164342	LN 13.413	240, 50	28x41	85	75	34	TC-S	2x5	B2	-	✓	
								2x7	B2	-	✓	
								2x9	B2	-	✓	
							TC-DD	10	B2	-	✓	
164353	LN 18.148	240, 50	28x41	85	75	34	TC-D/TC-T	18	B1	-	✓	
164358	LN 16.417	240, 50	28x41	85	75	34	T8 (T26)	16	B1	-	✓	
							TC-DD	16	B1	-	✓	
164438	L 36/40.443	240, 50	28x41	150	140	60	T8 (T26)	38	-	-	✓	

* TD = половина дросселя (необходимо два ПРА на лампу)

ОБЗОР | ПРА ДЛЯ ЛЛ

ПРА							Лампа					
№ заказа	Тип	Напряжение AC В, Гц	Модель мм	a/L мм	b/L1 мм	c/L2 мм	Тип	Мощность Вт	EEL	CE	По запросу	Альтернатива
164438	L 36/40.443	240, 50	28x41	150	140	60	T8 (T26)/T12 (T38)	36/40	-	-	✓	
							TC-F/TC-L	36	-	-	✓	
							TC-DD	38	-	-	✓	
							T-U/T-R	36/40	-	-	✓	
164555	LN 36.505	240, 50	28x41	155	140	92	T8 (T26)	38	B1	-	✓	
							T8 (T26)/T12 (T38)	2x18/20	B1	-	✓	
								36/40	B1	-	✓	
							TC-F/TC-L	2x18	B1	-	✓	
								36	B1	-	✓	
							T-R	32	B1	-	✓	
T-U/T-R	36/40	B1	-	✓								
164560	LN 58.506	240, 50	28x41	233	220	160	T8 (T26)/T12 (T38)	58/65	B1	-	✓	
							T-U	58	B1	-	✓	
164566	LN 18.507	240, 50	28x41	155	140	92	T8 (T26)/T12 (T38)	18/20	B1	-	✓	
							TC-F/TC-L	18	B1	-	✓	
								24	B1	-	✓	
T-U	18	B1	-	✓								
507936	LN 58.192	240, 50	28x41	190	180	110	T8 (T26)/T12 (T38)	58/65	B2	-	✓	
							T-U	58	B2	-	✓	
527196	LN 36.201	240, 50	28x41	150	140	60	T8 (T26)	38	B2	-	✓	
							T8 (T26)/T12 (T38)	2x18/20	B1	-	✓	
								36/40	B2	-	✓	
							TC-F/TC-L	2x18	B1	-	✓	
								36	B2	-	✓	
							TC-DD	38	B2	-	✓	
T-U/T-R	36/40	B2	-	✓								
533043	LN 18.162	240, 50	28x41	150	140	60	T8 (T26)/T12 (T38)	18/20	B2	-	✓	
							TC-D/TC-T	26	B1	-	✓	
							TC-F/TC-L	18	B2	-	✓	
								24	B2	-	✓	
							TC-DD	28	B1	-	✓	
T-U	18	B2	-	✓								
533067	LN 30.806	240, 50	28x41	150	140	60	T8 (T26)	2x15	B2	-	✓	
								30	B2	-	✓	
533650	LN 75.170	240, 50	28x41	190	180	110	T8 (T26)/T12 (T38)	70/75	B2	-	✓	
534252	LN 58.722	240, 50	28x41	190	180	92	T8 (T26)/T12 (T38)	58/65	B2	-	✓	
							T-U	58	B2	-	✓	
534627	L 18.936	240, 50	28x41	150	140	45	T8 (T26)/T12 (T38)	18/20	-	-	✓	
							TC-F/TC-L	18	-	-	✓	
								24	-	-	✓	
							TC-DD	28	-	-	✓	
T-U	18	-	-	✓								
535778	LN 2x18.135	240, 50	28x41	150	140	45	T8 (T26)/T12 (T38)	2x18/20	B1	-	✓	
							TC-F/TC-L	2x18	B1	-	✓	
545405	LN 26.238	240, 50	28x41	105	95	45	TC-D/TC-T	26	B2	-	✓	
547145	LN 21.293	240, 50	28x41	105	95	45	TC-DD	21	B1	-	✓	
164828	L 58.625	220, 50	28x41	190	180	92	T8 (T26)/T12 (T38)	58/65	-	-	✓	
							T-U	58	-	-	✓	
530252	L 36.158	220, 50	28x41	150	140	45	T8 (T26)	38	-	-	✓	
							T8 (T26)/T12 (T38)	2x18/20	-	-	✓	
								36/40	-	-	✓	
							TC-F/TC-L	2x18	-	-	✓	

ОБЗОР | ПРА ДЛЯ ЛЛ

ПРА							Лампа					
№ заказа	Тип	Напряжение AC В, Гц	Модель мм	a/L мм	b/L1 мм	c/L2 мм	Тип	Мощность Вт	EEL	CE	По запросу	Альтернатива
530252	L 36.158	220, 50	28x41	150	140	45	TCF/TC-L	36	-	-	✓	
							TC-DD	38	-	-	✓	
							T-U/T-R	36/40	-	-	✓	
534624	L 18.933	220, 50	28x41	150	140	45	T8 (T26)/T12 (T38)	18/20	-	-	✓	
							TC-D/TC-T	26	-	-	✓	
							TCF/TC-L	18	-	-	✓	
								24	-	-	✓	
							TC-DD	28	-	-	✓	
							T-U	18	-	-	✓	
163305	L 7/9/11.207	220, 60	28x41	85	75	34	TC-S	5	-	-	✗	
								7	-	-	✗	
								9	-	-	✓	
								11	-	-	✓	
164779	L 181.602	220, 60	28x41	85	75	34	TC-D/TC-T	18	-	-	✓	
164870	L 58.657	220, 60	28x41	195	180	92	T8 (T26)/T12 (T38)	58/65	-	-	✓	
509373	L 36.120	220, 60	28x41	150	140	45	T8 (T26)	38	-	-	✓	
							T8 (T26)/T12 (T38)	2x18/20	-	-	✓	
								36/40	-	-	✓	
							TCF/TC-L	2x18	-	-	✓	
								36	-	-	✓	
							TC-DD	38	-	-	✓	
							T-U/T-R	36/40	-	-	✓	
520992	L 13.210	220, 60	28x41	85	75	34	T5 (T16)	2x6	-	-	✓	
								2x8	-	-	✓	
								13	-	-	✓	
							TC-D	10	-	-	✓	
							TC-D/TC-T	13	-	-	✓	
							TC-S	2x5	-	-	✓	
								2x7	-	-	✓	
								2x9	-	-	✓	
							TC-DD	10	-	-	✓	
528582	L 18.121	220, 60	28x41	150	140	45	T8 (T26)/T12 (T38)	18/20	-	-	✓	
							TC-D/TC-T	26	-	-	✓	
								18	-	-	✓	
								24	-	-	✓	
							T-U	18	-	-	✓	
532149	L 18.121	220, 60	28x41	110	100	45	T8 (T26)/T12 (T38)	18/20	-	-	✓	
							TC-D/TC-T	26	-	-	✓	
								18	-	-	✓	
								24	-	-	✓	
							TC-DD	28	-	-	✓	
							T-U	18	-	-	✓	
532644	L 4/6/8.218	220, 60	28x41	85	75	34	T5 (T16)	4	-	-	✗	
								2x4	-	-	✗	
								6	-	-	✗	
								8	-	-	✗	
537744	L 15.007	220, 60	28x41	150	140	45	T8 (T26)	15	-	-	✓	
537750	L 30.006	220, 60	28x41	150	140	45	T8 (T26)	2x15	-	-	✓	
								30	-	-	✓	
538801	L 18.149	220, 60	28x41	150	140	34	T8 (T26)/T12 (T38)	18/20	-	-	✓	
							TC-D/TC-T	26	-	-	✓	

ОБЗОР | ПРА ДЛЯ ЛЛ

ПРА							Лампа					
№ заказа	Тип	Напряжение AC В, Гц	Модель мм	а/L мм	б/L1 мм	с/L2 мм	Тип	Мощность Вт	ЕЕI	СЕ	По запросу	Альтернатива
538801	L 18.149	220, 60	28x41	150	140	34	ТС-F/ТС-L	18	-	-	✓	
								24	-	-	✓	
							ТС-DD	28	-	-	✓	
538801	L 18.249	220, 60	28x41	150	140	34	T-U	18	-	-	✓	
163318	L 7/9.209	120, 60	28x41	85	75	34	TCS	5	-	-	✗	
								7	-	-	✗	
								9	-	-	✗	
170117	L 14.139	120, 60	28x41	85	75	34	T8 (T26)	14	-	-	✗	